

Blockout Purescreen



SUNESSE®
Sunscreen Finesse

By *HanDe*

Product Certificate


Fire, Smoke Classification	Non-FR	FR(US)- NFPA 701 TM1#(Optional)
Health & Safety	Greenguard® Gold	RoHS Directive (EU)2015/863
	EN71 Part 3:1994	AATCC112-2014
	GB18586 - 2001	
Colour fastness to light	Grade 6	ISO105 B02:2014
	≥4.0	AATCC TM 16.3-2014; Option 3; Xenon Arc Lamp
Warranty	5 years	




Technical Data

STYLE		BPS
Composition		15% Polyester -50% PVC-35% Acrylic
Openness Factor		0%
UV Screen		100%
Width	inch	118"
	cm	300
Weight	oz/yd2	17.70±5%
	(ISO 2286-2) g/m²	600 ± 5%
Thickness	inch	0.028 ± 5%
	(ISO 2286-3) mm	0.71 ± 5%
Breaking	Warp	≥ 1270 N/5cm
	(ISO 13934-1) Weft	≥ 580 N/5cm
Tear	Warp	≥ 75 N
	(ISO 4674) Weft	≥ 35 N
Packing	Yards	27.4
	(Roll Length) Im	25


Colour




M01 White/White (white back side)




M16 White/Linen (white back side)



M17 White/Dark Grey (white back side)



M16C White/Linen (linen back side)



M03C White/Grey (grey back side)

Color may be slightly different with the actual one.



Hande[®]

Guangzhou Hande New Materials Co.,Ltd

Add: No.161, Yao TianHe Street,Yong shun Avenue,Yonghe Economic Zone,
GZ Economic&Technological Development District, Guang zhou, China

Tel: 86-20-32226319 Fax: 86-20-32222205 PostCode: 511356

Email: info@handegroup.com.cn

Web: www.handegroup.com.cn